

## System Configuration Information

Domain Name : SHARED

---

```

Flags                : FR
Task Name            : RUNMGR
Description          : Run-Time Manager
Start Trigger       : TASKSTART_S[0]
Task Status         : TASKSTATUS_S[0]
Task Message        : TASKMESSAGE_S[0]
Display Status      : TASKDSTATUS_S[0]
Display Name        : TASKNAME_S[0]
Display Description  : TASKDESC_S[0]
Start Order         : 0
Priority             : 201
Executable File     : bin/runmgr
Application Directory:
Program Directory   :
Program Arguments   :
ROWID               : {55B93E87-6B38-40C2-AA3A-EF17E91D2D91}

```

---

```

Flags                : FR
Task Name            : RTMON
Description          : Real-Time Database Monitor
Start Trigger       : TASKSTART_S[1]
Task Status         : TASKSTATUS_S[1]
Task Message        : TASKMESSAGE_S[1]
Display Status      : TASKDSTATUS_S[1]
Display Name        : TASKNAME_S[1]
Display Description  : TASKDESC_S[1]
Start Order         : 1
Priority             : 201
Executable File     : bin/rtmon
Application Directory:
Program Directory   :
Program Arguments   :
ROWID               : {DB926138-88C0-4558-913F-5B858040B994}

```

---

```

Flags                : FR
Task Name            : TIMER
Description          : Interval and Event Timer
Start Trigger       : TASKSTART_S[2]
Task Status         : TASKSTATUS_S[2]
Task Message        : TASKMESSAGE_S[2]
Display Status      : TASKDSTATUS_S[2]
Display Name        : TASKNAME_S[2]
Display Description  : TASKDESC_S[2]
Start Order         : 2
Priority             : 201
Executable File     : bin/fltimer
Application Directory:
Program Directory   :
Program Arguments   :
ROWID               : {7CD5F753-41D6-417D-ADB6-4078CDA7E3F2}

```

---

```

Flags                : F
Task Name            : COUNTER

```

---

Description : Programmable Counter  
 Start Trigger : TASKSTART\_S[3]  
 Task Status : TASKSTATUS\_S[3]  
 Task Message : TASKMESSAGE\_S[3]  
 Display Status : TASKDSTATUS\_S[3]  
 Display Name : TASKNAME\_S[3]  
 Display Description : TASKDESC\_S[3]  
 Start Order : 3  
 Priority : 201  
 Executable File : bin/counter  
 Application Directory:  
 Program Directory :  
 Program Arguments : -t  
 ROWID : {8EB7C052-5730-4851-8420-7BF0F0773FC5}

---

Flags : FR  
 Task Name : IML  
 Description : Interpreted Math and Logic  
 Start Trigger : TASKSTART\_S[4]  
 Task Status : TASKSTATUS\_S[4]  
 Task Message : TASKMESSAGE\_S[4]  
 Display Status : TASKDSTATUS\_S[4]  
 Display Name : TASKNAME\_S[4]  
 Display Description : TASKDESC\_S[4]  
 Start Order : 3  
 Priority : 201  
 Executable File : bin/iml  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {75B3EFE3-F6EC-4995-B960-8D01CE10884C}

---

Flags : F  
 Task Name : SCALE  
 Description : Linear Scaling and Deadbanding  
 Start Trigger : TASKSTART\_S[5]  
 Task Status : TASKSTATUS\_S[5]  
 Task Message : TASKMESSAGE\_S[5]  
 Display Status : TASKDSTATUS\_S[5]  
 Display Name : TASKNAME\_S[5]  
 Display Description : TASKDESC\_S[5]  
 Start Order : 2  
 Priority : 201  
 Executable File : bin/scale  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {67F740EF-F3EF-41A5-90CB-2A6B544D7DFE}

---

Flags : F  
 Task Name : RPT  
 Description : Report Logger/Generator  
 Start Trigger : TASKSTART\_S[6]  
 Task Status : TASKSTATUS\_S[6]  
 Task Message : TASKMESSAGE\_S[6]  
 Display Status : TASKDSTATUS\_S[6]  
 Display Name : TASKNAME\_S[6]

---

Display Description : TASKDESC\_S[6]  
 Start Order : 3  
 Priority : 201  
 Executable File : bin/rpt  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {AC4D7182-0694-429E-BC40-9F0BDBCD20CD}

---

Flags : F  
 Task Name : SPOOL  
 Description : Spooler  
 Start Trigger : TASKSTART\_S[7]  
 Task Status : TASKSTATUS\_S[7]  
 Task Message : TASKMESSAGE\_S[7]  
 Display Status : TASKDSTATUS\_S[7]  
 Display Name : TASKNAME\_S[7]  
 Display Description : TASKDESC\_S[7]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/spool  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {333CEE02-B8D4-4407-BE5A-82E9C47B04C3}

---

Flags : FR  
 Task Name : PERSIST  
 Description : Persistence  
 Start Trigger : TASKSTART\_S[8]  
 Task Status : TASKSTATUS\_S[8]  
 Task Message : TASKMESSAGE\_S[8]  
 Display Status : TASKDSTATUS\_S[8]  
 Display Name : TASKNAME\_S[8]  
 Display Description : TASKDESC\_S[8]  
 Start Order : 4  
 Priority : 201  
 Executable File : bin/persist  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {FC8EA178-5A96-4947-A4E3-C6301335AD10}

---

Flags : F  
 Task Name : RECIPE  
 Description : Recipe Save and Load  
 Start Trigger : TASKSTART\_S[9]  
 Task Status : TASKSTATUS\_S[9]  
 Task Message : TASKMESSAGE\_S[9]  
 Display Status : TASKDSTATUS\_S[9]  
 Display Name : TASKNAME\_S[9]  
 Display Description : TASKDESC\_S[9]  
 Start Order : 3  
 Priority : 201  
 Executable File : bin/recipe  
 Application Directory:  
 Program Directory :

---

Program Arguments :  
 ROWID : {6AC75558-4BEE-401A-ADF5-CEE8BE5C7133}

---

Flags : F  
 Task Name : FLFM\_SERVER  
 Description : File Manager Remote Server  
 Start Trigger : TASKSTART\_S[10]  
 Task Status : TASKSTATUS\_S[10]  
 Task Message : TASKMESSAGE\_S[10]  
 Display Status : TASKDSTATUS\_S[10]  
 Display Name : TASKNAME\_S[10]  
 Display Description : TASKDESC\_S[10]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/flfmserv  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {5C1CF25E-6B78-4817-8B2E-39D3E441588D}

---

Flags : F  
 Task Name : FLFM  
 Description : File Manager  
 Start Trigger : TASKSTART\_S[11]  
 Task Status : TASKSTATUS\_S[11]  
 Task Message : TASKMESSAGE\_S[11]  
 Display Status : TASKDSTATUS\_S[11]  
 Display Name : TASKNAME\_S[11]  
 Display Description : TASKDESC\_S[11]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/flfm  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {5832F251-D361-4329-ACDD-9ACD39EB8F1E}

---

Flags : FR  
 Task Name : AL\_LOG  
 Description : Distributed Alarm Logger  
 Start Trigger : TASKSTART\_S[12]  
 Task Status : TASKSTATUS\_S[12]  
 Task Message : TASKMESSAGE\_S[12]  
 Display Status : TASKDSTATUS\_S[12]  
 Display Name : TASKNAME\_S[12]  
 Display Description : TASKDESC\_S[12]  
 Start Order : 2  
 Priority : 201  
 Executable File : bin/al\_log  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {04C728C3-034C-41C0-AADD-2F8CB927F2BF}

---

Flags : FR  
 Task Name : DBLOG  
 Description : Database Logger

---

Start Trigger : TASKSTART\_S[13]  
 Task Status : TASKSTATUS\_S[13]  
 Task Message : TASKMESSAGE\_S[13]  
 Display Status : TASKDSTATUS\_S[13]  
 Display Name : TASKNAME\_S[13]  
 Display Description : TASKDESC\_S[13]  
 Start Order : 3  
 Priority : 201  
 Executable File : bin/dblog  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {DCC4F3C6-0BC4-4E36-8570-FCD80BCD4446}

---

Flags : F  
 Task Name : DPLOGGER  
 Description : Data Point Logger  
 Start Trigger : TASKSTART\_S[14]  
 Task Status : TASKSTATUS\_S[14]  
 Task Message : TASKMESSAGE\_S[14]  
 Display Status : TASKDSTATUS\_S[14]  
 Display Name : TASKNAME\_S[14]  
 Display Description : TASKDESC\_S[14]  
 Start Order : 2  
 Priority : 201  
 Executable File : bin/dplogger  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {C409F028-E757-4963-BD88-5F6A5D01E82E}

---

Flags : F  
 Task Name : DBBROWSE  
 Description : Database Browser  
 Start Trigger : TASKSTART\_S[15]  
 Task Status : TASKSTATUS\_S[15]  
 Task Message : TASKMESSAGE\_S[15]  
 Display Status : TASKDSTATUS\_S[15]  
 Display Name : TASKNAME\_S[15]  
 Display Description : TASKDESC\_S[15]  
 Start Order : 2  
 Priority : 201  
 Executable File : bin/dbbrowse  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {7470E0CE-1025-4FCE-8C4B-85B86DB7CDCC}

---

Flags : FR  
 Task Name : IOXLATOR  
 Description : RAPD Translator  
 Start Trigger : TASKSTART\_S[16]  
 Task Status : TASKSTATUS\_S[16]  
 Task Message : TASKMESSAGE\_S[16]  
 Display Status : TASKDSTATUS\_S[16]  
 Display Name : TASKNAME\_S[16]  
 Display Description : TASKDESC\_S[16]

---

Start Order : 1  
 Priority : 201  
 Executable File : bin/ioxlator  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {37DE5919-91C9-44AC-A260-8CD238DA4045}

---

Flags : FR  
 Task Name : ALARMSRV  
 Description : Alarm Server  
 Start Trigger : TASKSTART\_S[17]  
 Task Status : TASKSTATUS\_S[17]  
 Task Message : TASKMESSAGE\_S[17]  
 Display Status : TASKDSTATUS\_S[17]  
 Display Name : TASKNAME\_S[17]  
 Display Description : TASKDESC\_S[17]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/alarmsrv  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {95FA94B0-A83E-4BF4-8DFE-C4BE138564C2}

---

Flags : FR  
 Task Name : OPC\_SERVER  
 Description : OPC Server  
 Start Trigger : TASKSTART\_S[18]  
 Task Status : TASKSTATUS\_S[18]  
 Task Message : TASKMESSAGE\_S[18]  
 Display Status : TASKDSTATUS\_S[18]  
 Display Name : TASKNAME\_S[18]  
 Display Description : TASKDESC\_S[18]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/opc\_server  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {816D36B5-EC4C-43FF-ACBE-FF2D6830BE96}

---

Flags : F  
 Task Name : OPC\_CLIENT  
 Description : OPC Client  
 Start Trigger : TASKSTART\_S[19]  
 Task Status : TASKSTATUS\_S[19]  
 Task Message : TASKMESSAGE\_S[19]  
 Display Status : TASKDSTATUS\_S[19]  
 Display Name : TASKNAME\_S[19]  
 Display Description : TASKDESC\_S[19]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/opc\_client  
 Application Directory:  
 Program Directory :  
 Program Arguments :

---

---

ROWID : {B7B53EEB-FB82-418A-B144-40EC9C59A91A}

---

Flags : F  
 Task Name : POWERNET  
 Description : Client/Server RTDB Network Interface  
 Start Trigger : TASKSTART\_S[20]  
 Task Status : TASKSTATUS\_S[20]  
 Task Message : TASKMESSAGE\_S[20]  
 Display Status : TASKDSTATUS\_S[20]  
 Display Name : TASKNAME\_S[20]  
 Display Description : TASKDESC\_S[20]  
 Start Order : 4  
 Priority : 201  
 Executable File : bin/powernet  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {43B8A6F8-322F-4FF4-8CA7-252DF7310D20}

---

Flags : F  
 Task Name : FLLANSND  
 Description : Local Area Network Send  
 Start Trigger : TASKSTART\_S[21]  
 Task Status : TASKSTATUS\_S[21]  
 Task Message : TASKMESSAGE\_S[21]  
 Display Status : TASKDSTATUS\_S[21]  
 Display Name : TASKNAME\_S[21]  
 Display Description : TASKDESC\_S[21]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/fllansnd  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {1DFD4A4B-E873-449B-93A6-1E76436B63A6}

---

Flags : F  
 Task Name : FLLANRCV  
 Description : Local Area Network Receive  
 Start Trigger : TASKSTART\_S[22]  
 Task Status : TASKSTATUS\_S[22]  
 Task Message : TASKMESSAGE\_S[22]  
 Display Status : TASKDSTATUS\_S[22]  
 Display Name : TASKNAME\_S[22]  
 Display Description : TASKDESC\_S[22]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/fllanrcv  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {00181B29-8FB8-47C1-9C41-046ECDFF01B7}

---

Flags : F  
 Task Name : CONNSRV  
 Description : WebClient (R) Connection Server  
 Start Trigger : TASKSTART\_S[23]

---

Task Status : TASKSTATUS\_S[23]  
 Task Message : TASKMESSAGE\_S[23]  
 Display Status : TASKDSTATUS\_S[23]  
 Display Name : TASKNAME\_S[23]  
 Display Description : TASKDESC\_S[23]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/connsrv  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {BDB28E60-941C-4498-A8A9-FC50E83B73A0}

---

Flags : FR  
 Task Name : AL\_VIEW  
 Description : Alarm Viewer  
 Start Trigger : TASKSTART\_S[24]  
 Task Status : TASKSTATUS\_S[24]  
 Task Message : TASKMESSAGE\_S[24]  
 Display Status : TASKDSTATUS\_S[24]  
 Display Name : TASKNAME\_S[24]  
 Display Description : TASKDESC\_S[24]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/al\_view  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {47584549-D316-427C-B4AF-C97EC7B0E49B}

---

Flags : FR  
 Task Name : ODBCHIST  
 Description : Historian for ODBC  
 Start Trigger : TASKSTART\_S[25]  
 Task Status : TASKSTATUS\_S[25]  
 Task Message : TASKMESSAGE\_S[25]  
 Display Status : TASKDSTATUS\_S[25]  
 Display Name : TASKNAME\_S[25]  
 Display Description : TASKDESC\_S[25]  
 Start Order : 1  
 Priority : 201  
 Executable File : bin/odbchist  
 Application Directory:  
 Program Directory :  
 Program Arguments :  
 ROWID : {F66F171D-5A00-4D07-92D2-9E1C6DB756B0}

---

Flags : FR  
 Task Name : MBUSTCP  
 Description : MODBUS TCP/IP Driver  
 Start Trigger : TASKSTART\_S[26]  
 Task Status : TASKSTATUS\_S[26]  
 Task Message : TASKMESSAGE\_S[26]  
 Display Status : TASKDSTATUS\_S[26]  
 Display Name : TASKNAME\_S[26]  
 Display Description : TASKDESC\_S[26]  
 Start Order : 1

---

Priority : 201  
Executable File : bin/mbustcp  
Application Directory:  
Program Directory :  
Program Arguments :  
ROWID : {EBD09A92-B95E-463F-9A22-E68AE9FD07AD}

---

Flags : F  
Task Name : ONLINMGR  
Description : Online Restart Manager  
Start Trigger : TASKSTART\_S[27]  
Task Status : TASKSTATUS\_S[27]  
Task Message : TASKMESSAGE\_S[27]  
Display Status : TASKDSTATUS\_S[27]  
Display Name : TASKNAME\_S[27]  
Display Description : TASKDESC\_S[27]  
Start Order : 1  
Priority : 201  
Executable File : bin/onlinmgr  
Application Directory:  
Program Directory :  
Program Arguments :  
ROWID : {5B79D264-F8AE-45D1-A289-ABB23EB2D9F3}

---

Flags : F  
Task Name : FLUTILITYLAUNCHER  
Description : FactoryLink Utility Launcher  
Start Trigger : TASKSTART\_S[28]  
Task Status : TASKSTATUS\_S[28]  
Task Message : TASKMESSAGE\_S[28]  
Display Status : TASKDSTATUS\_S[28]  
Display Name : TASKNAME\_S[28]  
Display Description : TASKDESC\_S[28]  
Start Order : 1  
Priority : 201  
Executable File : bin/  
Application Directory:  
Program Directory :  
Program Arguments :  
ROWID : {3968E744-436B-4967-8619-24AB78AA82E4}

---